

EXPANZO







THE COMPLETE EXPANSION JOINT SYSTEMS

WWW.EXPANZO.COM

EXPANZO FRS P-SERIES
 Exterior Parking Area Cover Plates.



Technical Data.

		Movement Rating \pm 50%					
Product Guide							
	Thermal	Exterior	Interior	Fire Rated Option	Vapor	ADA Compliant	

- Exterior Parking Area Cover Plates.
- Suitable for Exterior Areas where Heavy-Duty Vehicular Traffic is present.
- The consists of elastomeric rubber encapsulated steel plates that can accommodate seismic/multidirectional movement.
- Available sizes-200 to 300 mm.


Application	System	W		H1		Movement +/-			
		Joint Width		Frame Height		Horizontal		Vertical	
		Inch	mm	Inch	Mm	Inch	Mm	Inch	mm
Floor to Floor		7.87	200	1.1	28				
		9.85	250	1.1	28				
		11.82	300	1.1	28				



Additional Information:

EXPANZO FRS P SERIES Profiles is specially designed for industrial floors that is exposed to heavy load traffic. The thickness and width of the inner ST 37 steel profile are produced in different sizes according to the expansion joint gap, and embedded into the pressed EPDM rubber by vulcanization process. Thanks to it's rubber structure, it reduces the noise and prebents the steel profile.

- Gap : 50mm
- Height : 10mm
- Movement Capacity : +/-50mm
- Surface Width : 200mm
- Load Capacity : Resistance to the 9 tons truck load
- Length : 2mt



Thank
You

The text "Thank You" is written in a black, elegant cursive script. The word "Thank" is on the top line, and "You" is on the line below it, positioned slightly to the left. The background features several overlapping, wavy, organic shapes in shades of pink, light blue, and lavender, creating a soft, artistic backdrop for the text.

THE UNFOLDING JOURNEY CONTINUES TO REVEAL
NEW OPPORTUNITIES AND CHALLENGES AT EVERY
STEP

